

Google Apps Directory Sync for Postini Services

Release Notes

Release 1.3.35 - November 2009

- Google Message Filtering
- Google Message Security
- Google Message Discovery
- Postini Email Security

 postini services

Google, Inc.
1600 Amphitheatre Parkway
Mountain View, CA 94043
www.google.com

Part number: DSSRN_1.3.35_16

December 9, 2009

© Copyright 2009 Google, Inc. All rights reserved.

Google, the Google logo, Google Message Filtering, Google Message Security, Google Message Discovery, Postini, the Postini logo, Postini Perimeter Manager, Postini Threat Identification Network (PTIN), Postini Industry Heuristics, and PREEMPT are trademarks, registered trademarks, or service marks of Google, Inc. All other trademarks are the property of their respective owners.

Use of any Google solution is governed by the license agreement included in your original contract. Any intellectual property rights relating to the Google services are and shall remain the exclusive property of Google, Inc. and/or its subsidiaries ("Google"). You may not attempt to decipher, decompile, or develop source code for any Google product or service offering, or knowingly allow others to do so.

Google documentation may not be sold, resold, licensed or sublicensed and may not be transferred without the prior written consent of Google. Your right to copy this manual is limited by copyright law. Making copies, adaptations, or compilation works, without prior written authorization of Google, is prohibited by law and constitutes a punishable violation of the law. No part of this manual may be reproduced in whole or in part without the express written consent of Google. Copyright © by Google, Inc.

Google, Inc. provides this publication "as is" without warranty of any either express or implied, including but not limited to the implied warranties of merchantability or fitness for a particular purpose. Google, Inc. may revise this publication from time to time without notice. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore, this statement may not apply to you.

This software uses the JGoodies Forms, JGoodies Validation, and JGoodies Looks.

Copyright (c) 2002-2008 JGoodies Karsten Lentzsch. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- o Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- o Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- o Neither the name of JGoodies Karsten Lentzsch nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



Contents

1.3.35 Release Notes	5
1.3.35 Release Information	5
1.3.35 New Features	5
Binary attribute support for Non-Address Primary Key Attribute	6
Change Non-Address Primary Key Attribute	6
1.3.35 Fixed Issues	6
1.3.35 Known Issues	7
1.3.32 Release Notes	9
1.3.32 Release Information	9
1.3.32 New Features	9
Individual Base DN	10
1.3.29 Release Notes	11
1.3.29 Release Information	11
1.3.29 New Features	11
Authenticated Proxy Servers	11



1.3.35 Release Notes

1.3.35 Release Information

Last updated: Tuesday, November 24, 2009.

Scheduled date for 1.3.35 Release: November 24, 2009

These release notes describe Google Apps Directory Sync for Email Security Release 1.3.35. You can find detailed information on features in the [Google Apps Directory Sync Administration Guide](#).

This information is subject to change, and the final release notes will be published the day of the release.

Related Topics

- [1.3.35 New Features](#)
- [1.3.35 Fixed Issues](#)
- [1.3.35 Known Issues](#)
- [1.3.32 Release Information](#)
- [1.3.29 Release Information](#)

1.3.35 New Features

Release 1.3.35 includes expanded functionality for Non-Address Primary Keys, which let you keep your user information even when a user changes addresses by examining another unique LDAP attribute you specify.

Binary attribute support for Non-Address Primary Key Attribute

In 1.3.35, you can specify a binary key, such as GUID or ObjectID, as a Non-Address Primary Key Attribute to sync users and mailing lists in the director sync utility.

Set your Non-Address Primary Key in the LDAP User Attributes page in Configuration Manager.

Change Non-Address Primary Key Attribute

New with Release 1.3.35, you can change the attribute for your non-address primary key without losing any user settings. When you change your non-address primary key, the directory sync utility will detect the change and reset the primary key for all users.

Do not change user names in the same sync as your non-address primary key, or those users will be deleted and recreated, losing archived mail and other data. Instead, run an additional sync before you change your non-address primary key to correct any user name changes.

Related Topics

- [1.3.35 Release Information](#)
- [1.3.35 Fixed Issues](#)
- [1.3.35 Known Issues](#)
- [1.3.32 Release Information](#)
- [1.3.29 Release Information](#)

1.3.35 Fixed Issues

Following is a preliminary list of issues resolved in this release. Each issue includes the release number, a tracking number, and brief description.

[2228035] Synchronization: Mailing list fails if no BaseDN is specified

Issue: Mailing list synchronization fails unless a Base DN is specified for mailing lists.

Resolution: Mailing list synchronization now uses the default Base DN if no Base DN is specified for mailing lists.

Related Topics

- [1.3.35 Release Information](#)

- [1.3.35 New Features](#)
- [1.3.35 Known Issues](#)
- [1.3.32 Release Information](#)
- [1.3.29 Release Information](#)

1.3.35 Known Issues

The following are known issues in this release. These issues will be resolved in an upcoming maintenance release. Each issue includes an issue and description.

Note: When issues occur, our engineers work as quickly as possible to resolve them, and as release information become available, it will be added to this document.

Synchronization: If Non-Address Primary Key is used, must be populated for all users

Issue: If a Non-Address Primary Key attribute is specified, synchronization will fail if any user does not have a value for that attribute.

Status: This will be resolved in a future release.

Related Topics

- [1.3.35 Release Information](#)
- [1.3.35 New Features](#)
- [1.3.35 Fixed Issues](#)
- [1.3.32 Release Information](#)
- [1.3.29 Release Information](#)



1.3.32 Release Notes

1.3.32 Release Information

Last updated: Wednesday, October 28, 2009.

Scheduled date for 1.3.32 Release: October 2009

These release notes describe Google Apps Directory Sync for Email Security Release 1.3.32. You can find detailed information on features in the [Google Apps Directory Sync Administration Guide](#).

This information is subject to change, and the final release notes will be published the day of the release.

Related Topics

- [1.3.32 New Features](#)
- [1.3.35 Release Information](#)
- [1.3.29 Release Information](#)

1.3.32 New Features

Release 1.3.32 includes new functionality that allows greater flexibility for synchronization rules.

Individual Base DN

When creating a synchronization rule in Configuration Manager, you can now specify a separate Base DN for each individual LDAP query. This allows greater control of which organizational units (OUs) you query.

Import users that match this LDAP rule. For examples, click the "Learn More" link on the previous page.

Place users in this message security service org:

Org Name:

Org name defined by this LDAP attribute: Use default filter

Scope:

Rule:

Base DN:

(leave blank to use the Base DN from the "LDAP Connection" page)

OK Cancel Apply

Specify Base DN in by adding a new rule, or editing an existing rule. The Base DN field is optional: if you add a Base DN, the directory sync utility will override the default Base DN specified for your LDAP Server.

Related Topics

- [1.3.35 Release Information](#)
- [1.3.32 Release Information](#)
- [1.3.29 Release Information](#)



1.3.29 Release Notes

1.3.29 Release Information

Last updated: Thursday, 30 April 2009.

Scheduled date for 1.3.29 Release: April 2009

These release notes describe Google Apps Directory Sync for Email Security Release 1.3.29. You can find detailed information on features in the [Google Apps Directory Sync Administration Guide](#).

This information is subject to change, and the final release notes will be published the day of the release.

Related Topics

- [1.3.29 New Features](#)
- [1.3.35 Release Information](#)
- [1.3.32 Release Information](#)

1.3.29 New Features

Release 1.3.29 includes new functionality for authenticated proxy servers.

Authenticated Proxy Servers

Google Apps Directory Sync now supports HTML proxy servers and SSL proxy servers. To connect to the email security service or verify SSL certificates through a proxy server, enter the correct proxy server hostname and port number in Configuration Manager under Message Security Service Authentication.

Specify an SSL proxy to connect through your firewall to the internet in SSL Proxy Host Name and Port. The directory sync server will then connect to the internet using this proxy server.

If you use a different proxy server for HTML connections than SSL connections, you can also specify an HTML Proxy Host Name and Port. Directory Sync always connects to Google Apps on SSL. The only time the directory sync utility sends traffic by unencrypted HTTP is to validate a certificate with the issuing authority.

Lastly, new for Release 1.3.29, you can specify a username and password for proxy server settings. If you are using a proxy server that requires authentication, add your User Name and Password in the Google Apps Settings page of Configuration Manager.

Related Topics

- [**1.3.29 New Features**](#)
- [**1.3.35 Release Information**](#)
- [**1.3.32 Release Information**](#)